

**gt - gtcars**

```
library(dplyr)
```

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':

```
filter, lag
```

The following objects are masked from 'package:base':

```
intersect, setdiff, setequal, union
```

```
library(gt)
```

```
gtcars %>%
```

```
  dplyr::filter(mfr == "Ferrari", hp < 900) %>%
```

```
  dplyr::select(model, hp, mpg_c, mpg_h, msrp) %>%
```

```
  gt() %>%
```

```
  data_color(
```

```
    columns = hp,
```

```
    palette = c("white", "orange", "red"),
```

```
    domain = c(500, 750)
```

```
  ) %>%
```

```
  data_color(
```

```
    columns = c(mpg_c, mpg_h),
```

```
    palette = c("white", "green"),
```

```
    domain = c(10, 25)
```

```
  ) %>%
```

```
  data_color(
```

```
    columns = msrp,
```

```
    palette = c("white", "pink", "red"),
```

```
    domain = NULL
```

```
  )
```

| model       |          | hp    | mpg_c | mpg_h | msrp        |
|-------------|----------|-------|-------|-------|-------------|
| 4 5 8       | Speciale | 5 9 7 | 1 3   | 1 7   | 2 9 1 7 4 4 |
| 4 5 8       | Spider   | 5 6 2 | 1 3   | 1 7   | 2 6 3 5 5 3 |
| 4 5 8       | Italia   | 5 6 2 | 1 3   | 1 7   | 2 3 3 5 0 9 |
| 4 8 8       | GTB      | 6 6 1 | 1 5   | 2 2   | 2 4 5 4 0 0 |
| California  |          | 5 5 3 | 1 6   | 2 3   | 1 9 8 9 7 3 |
| GTC 4 Lusso |          | 6 8 0 | 1 2   | 1 7   | 2 9 8 0 0 0 |

| model            | hp |   |   | mpg_c |   | mpg_h |   | msrp |   |   |   |   |   |
|------------------|----|---|---|-------|---|-------|---|------|---|---|---|---|---|
| FF               | 6  | 5 | 2 | 1     | 1 | 1     | 6 | 2    | 9 | 5 | 0 | 0 | 0 |
| F 1 2 Berlinetta | 7  | 3 | 1 | 1     | 1 | 1     | 6 | 3    | 1 | 9 | 9 | 9 | 5 |